SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006

Standardspackel

SECTION 1: Identification of the substance/mixture

1.1. Product identifier

Trade name

Standardspackel

Article No.

36-0181

UFI code

CH00-C0TV-Q002-1WTT

1.2. Relevant identified uses of the substance or mixtu

Product type

Two-component filler

1.3. Details of the supplier of the safety data sheet

Supplier

BILTEMA SWEDEN AB

Street address
Arenavägen 17
SE-433 33 Partille
Sweden

Telephone
+46 77 520 00 00

Email
kundservice@biltema.com

Web site
www.biltema.se

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2

Classification

Skin irritation, hazard category 2
Reproductive toxicity, hazard category 2
Specific Target Organ Toxicity — Repeated exposure, h
Eye irritation, hazard category 2

Hazard statements

H315, H319, H361d, H372

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H361d Suspected of damaging the unborn child
H372 Causes damage to organs through prolonged or rep

Precautionary statements

P101 If medical advice is needed, have product contai
P102 Keep out of reach of children.
P260 Do not breathe mist/vapours/spray.
P270 Do not eat, drink or smoke when using this produ
P280 Wear protective gloves/protective clothing/eye p
P302 + P352 IF ON SKIN: Wash with plenty of water/.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advi
P405 Store locked up.
P501.1 Dispose of contents/container to National regu

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical na	CAS No. EC No. REACH N Index N	Concentr	Classifi	H-phras M factor M factor	Note
Talc (Mg3H2(Si	14807-96-6 238-877-9 - -	>0.1 - <40%		- - -	-
styrene	100-42-5 202-851-5 - 601-026-00-0	>0.1 - <2%	Flam. Liq Irrit. 2, Acute Tox inhalation 2, STOT RE	H226, SK H319, H H361d, H -n, Repr. 2	D 2, 372
titanium dioxi	13463-67-7 236-675-5 01-2119489379-17 -	≥2 - ≤3%	Carc. 2	H351 - -	-

Substance additional information
For the complete text of H- / EUH-statements mentione

SECTION 4: First aid measures

4.1. Description of first aid measures
Call a POISON CENTER or doctor/physician if you feel

Inhalation
Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. If experiencing respiratory symptoms cover with a blanket.

Skin contact
After contact with skin, wash immediately with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical he

Eye contact
IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor/physician if eye irritation persists.

Ingestion
IF SWALLOWED: Immediately call a POISON CENTER or doc

4.2. Most important symptoms and effects, both acute and
Inhalation
Headache. Cough

Skin contact
Irritation

Eye contact
Causes serious eye irritation.

Ingestion
Ingestion may cause nausea.

4.3. Indication of any immediate medical attention and
No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media
Suitable extinguishing media
In case of fire: extinguish with foam, carbon dioxide, dry powder

Unsuitable extinguishing media
Do not use a strong jet of water as it may spread and

5.2. Special hazards arising from the substance or mixt
In case of fire, harmful gases (carbon monoxide and c

5.3. Advice for firefighters
Special protective equipment for fire-fighters
Use respiratory protection and protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and eme
Avoid contact with skin, eyes and clothing. Do not breathe mist/vapours/spray.
Personal protection equipment: see section 8

6.2. Environmental precautions
Prevent leakage from reaching drains, land or waterco

6.3. Methods and material for containment and cleaning
Take up mechanically, placing in appropriate containe

6.4. Reference to other sections
Section 13: Disposal Considerations (non-mandatory)
SECTION 8: Exposure controls/personal protection

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Do not breathe mist/vapours/spray. Avoid contact with skin, eyes and clothing. Personal protective equipment: see section 8

General hygiene

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container. Keep container tightly closed. Keep away from sources of ignition - No smoking. Protect from heat.

7.3. Specific end use(s)

See section 1.2 for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

Eye / face protection

Eye protection should be used if there is a risk of

Hand protection

Wear protective gloves.

Respiratory protection

Provide good ventilation. Always refer to current procedures for hand

Environmental exposure controls

Prevent leakage from reaching drains, land or water co

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical propert

Physical state

Solid

Colour

various

Odour

Styrene

Melting point / freezing point
No data available

Boiling point or initial boiling point and boiling ra
No data available

Flammability
No data available

Lower and upper explosion limit
1,1 - 5,2 %

Flash point
195 - 250 °C

Auto-ignition temperature
420 °C

Decomposition temperature
No data available

pH
not applicable

Kinematic viscosity
No data available

Solubility
No data available

Partition coefficient n-octanol/water
No data available

Vapour pressure
5 hPa

Density and/or relative density
1.3 - 1.35 g/cm³

Relative vapour density
No data available

VOC %
≤ 119 g/l

9.2. Other information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity
The product is stable under storage at normal ambient

10.2. Chemical stability
The product is stable under storage at normal ambient

10.3. Possibility of hazardous reactions
No data available

10.4. Conditions to avoid
Keep away from heat, hot surfaces, sparks, open flame

10.5. Incompatible materials
Avoid contact with oxidizing agents and contact with

10.6. Hazardous decomposition products
In the case of thermal decomposition, carbon oxides and

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regul
The information is based on data from the components

Skin corrosion/irritation
Causes skin irritation.

Serious eye damage/irritation
Causes serious eye irritation.

Germ cell mutagenicity
Based on available data, the classification criteria

Carcinogenicity
Based on available data, the classification criteria

Reproductive toxicity
Suspected of damaging the unborn child.

STOT-repeated exposure
May cause damage to organs through prolonged or repea

Aspiration hazard
Based on available data, the classification criteria

11.2. Information on other hazards
Endocrine disrupting properties
This product does not contain a substance that has en
humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity
No data available

12.2. Persistence and degradability
No data available

12.3. Bioaccumulative potential
No data available

12.4. Mobility in soil
Mobility
Soluble with difficulty

12.5. Results of PBT and vPvB assessment
Results of PBT and vPvB assessment
The substances in the mixture do not meet the PBT/vPv

12.6. Endocrine disrupting properties
This product does not contain a substance that has en
humans as no components meets the criteria.

12.7. Other adverse effects
No data available

Other
No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Disposal considerations
Dispose of contents/container to hazardous or special

Waste c	Description
08 04 09	waste adhesives and sealants containing organic solve
15 01 10	packaging containing residues of or contaminated by h
15 01 02	plastic packaging

Please note - an asterisk (*) next to a code denotes that it is HAZARDOUS WASTE.

SECTION 14: Transport information

14.1. UN number
3269

14.2. UN proper shipping name
POLYESTER RESIN KIT, liquid base material

14.3. Transport hazard class(es)
Label

3

ADR / RID Class
3

ADR / RID Classification code
F3

ADN Class
3

ADN Class Code
F3

14.4. Packing group
III

14.5. Environmental hazards
IMDG Marine Pollutant
Styrene

14.6. Special precautions for user
Special precautions for user
tunnel restriction code
Transport category

14.7. Maritime transport in bulk according to IMO instr
Not applicable

Other
Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legis
EU regulations
Safety Data Sheet according to Regulation (EC) No 1907/2006 (REACH)
The mixture is not classified as hazardous according to regulation (EC) No 1272/2008 [

15.2. Chemical safety assessment
No data available

SECTION 16: Other information

Phrase meaning

Flam. Liq. 3 - Flammable liquids, hazard category 3
Skin Irrit. 2 - Skin irritation, hazard category 2
Eye Irrit. 2 - Eye irritation, hazard category 2
Acute Tox. 4 - inhalation - Acute toxicity, inhalatio
Repr. 2 - Reproductive toxicity, hazard category 2
STOT RE 1 - Specific Target Organ Toxicity — Repeated
Carc. 2 - Carcinogenicity, hazard category 2
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child
H372 Causes damage to organs through prolonged or rep