## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Biltema

Supplier's address: Biltema Kundservice, Garnisonsgatan 26, 2nd FL, SE-254 66 Helsingborg, SE

## Model identifier: 463025

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

**Product parameters** 

rioudet parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
Energy consum mode (kWh/10 up to the neares	00 h), rounded	1	Energy efficiency class	G			
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	75 in Wide cone (120°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	3 000			
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	1,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00			
(P <sub>net</sub> ) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83			
Outer dimen-	Height	52	Spectral power dis-	See image			
sions without	Width	52	tribution in the	in last page			
separate con- trol gear, light- ing control	Depth	20	range 250 nm to 800 nm, at full-load				

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,440			
		nates (x and y)	0,400			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	6	Survival factor	0,99			
the lumen maintenance factor	0,96					
(a)						

(a)'-' : not applicable;

(b)'-' : not applicable;

